



Water and oil baths "Precistern"

ADJUSTABLE TEMPERATURE RANGE FROM AMBIENT +5 °C UP TO 110 °C, STABILITY ±1 °C.
ADJUSTABLE TEMPERATURE RANGE FROM AMBIENT +5 °C UP TO 200 °C, STABILITY ±2 °C.

Extensive range of sizes and accessories

Stainless steel interior and external case



FEATURES

Capacity; from 2 litres up to 45 litres.
Double skinned tank of AISI 304 stainless steel with an exterior case of AISI 304 stainless steel.
Heating elements embedded in INCOLOY heat and corrosion resistant stainless steel.

CONTROL PANEL

Illuminated mains power switch.
Hydraulic thermostat temperature control, synchronised with the "ON" indicator lamp.
Safety thermostat cut out indicator lamp.

MODELS

| Part No. | Maximum Temperature °C | Capacity litres | Height / Widht / Fondo (usable) cm | | | Height / Widht / Depth (exterior) cm | | | Power W | Weight Kg |
|----------|------------------------|-----------------|------------------------------------|----|----|--------------------------------------|----|----|---------|-----------|
| 6000137 | 110 | 2 | 15 | 15 | 13 | 20 | 20 | 27 | 390 | 3.5 |
| 6000385 | 200 | 2 | 15 | 15 | 13 | 20 | 20 | 27 | 640 | 3.5 |
| 6000138 | 110 | 5 | 15 | 30 | 14 | 20 | 37 | 27 | 600 | 6 |
| 6000386 | 200 | 5 | 15 | 30 | 14 | 20 | 37 | 27 | 1110 | 6 |
| 6000140 | 110 | 12 | 15 | 30 | 30 | 20 | 40 | 42 | 1100 | 8 |
| 6000387 | 200 | 12 | 15 | 30 | 30 | 20 | 40 | 42 | 1400 | 8 |
| 6000141 | 110 | 20 | 15 | 48 | 30 | 20 | 58 | 42 | 1500 | 10 |
| 6000388 | 200 | 20 | 15 | 48 | 30 | 20 | 58 | 42 | 2100 | 10 |
| 6000142* | 110 | 45 | 15 | 62 | 50 | 22 | 69 | 62 | 2400 | 18 |
| 6000389* | 200 | 45 | 15 | 62 | 50 | 22 | 69 | 62 | 3800 | 18 |

All water baths are supplied with heating elements protection shelf.

* With built in drain tap.

SAFETY:

DIN 12877 STANDARD.
THE UNIT WILL CUT OUT IF THERE IS INSUFFICIENT LIQUID OR IF THE BATH TEMPERATURE EXCEEDS THE SET TEMPERATURE.

A MANUAL RESET ADJUSTABLE TEMPERATURE SAFETY THERMOSTAT IS PLACED AT THE BACK OF THE UNIT.



ACCESSORIES. See page 89.